Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Nanoleaf

Supplier's address: Christian Yan, Room 1301, 13/F, Excel Centre, 483A Castle Peak Road Lai Chi

Kok, Kowloon, HK Shenzhen, Chegongmiao, Tianan innovation park B406

Model identifier:	NL47			
Model identifier:	NL4/			

Type	of light	source:
------	----------	---------

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	NA		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	Yes	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	Yes	Dimmable:	No

Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
<u> </u>	mption in on- 100 h), rounded st integer	2	Energy efficiency class	G	
indicating if it r in a sphere (3	us flux (фuse), efers to the flux 60º), in a wide n a narrow cone	60 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	100099999	
On-mode pexpressed in W	oower (P _{on}),	2,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	1	
Outer	Height	200	Spectral power	See image	
dimensions	Width	200	distribution in the	in last page	

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	10	range 250 nm to 800 nm, at full-load	
Claim of equival	ent power ^(a)	-	If yes, equivalent power (W)	-
			Chromaticity	0,144
			coordinates (x and y)	0,708
Parameters for LED and OLED light sources:				
R9 colour rendering index value -100		-100	Survival factor	1,00
the lumen main	tenance factor	0,97		

(a)'-': not applicable;

(b)_{'-'} : not applicable;

